



MIX LOCKER SPECIFICATION

Design Philosophy

Versatile, flexible and adaptable Locker system. Built for efficiency, without any compromise on design.

Construction

Frame	18mm Egger White W980 mfc as standard.
Hinges	110-degree concealed hinge as standard. Soft close option available upon request.
Locks	Flush lock as standard. Other locks available on request.
Finishes	Internal/ Exterior finish of the units is to be chosen from our standard range of mfc. Alternative finishes are available on request.

Sizes/ Styles

Width	300mm, 400mm & 500mm (crs)
Height	Multiple compartments up to 2700mm high. Note: MAiiko recommend locker compartments to a maximum 2200mm high, with the remainder allocated for general storage or fascia above. Note: All door sizes are uniform and consistent in size as standard.
Depth	400mm as standard. Can be made to suit specific depths on request.

Accessories

A range of paper slots, label frames, number discs, power charging solutions and graphics are available on request.

Finishes

From our standard range of mfc finishes. Other finishes available on request.

LOCKER ANATOMY

All panels are based
on 18mm mfc



=

Flush lock (2 keys)
per door as standard.
Other locks available

=



=

All doors are equal
in size, divided by
the overall height.

=

110 degree opening
concealed hinges with
optional soft close.

=



100

Additional cloaking
panels can be
added to build to
the surroundings

MAIIKO

